

GLASS MASTER

Safety Data Sheet



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name: **GLASS MASTER**

Synonyms

Window cleaner Non Ammoniated

Product Code

312 / FM312 / FM315

Recommended use: Window cleaner

Supplier Name **CLEAN PLUS CHEMICALS PTY LTD**

Address 16 George Young Street AUBURN NSW 2144

Telephone 02 9738 7444

Emergency 1800 201 700

Email customerservice@cleanplus.com.au

Web Site www.cleanplus.com.au

SDS Date 01 JULY 2024, Version 1.3

2. HAZARDS IDENTIFICATION

THIS MATERIAL IS NOT HAZARDOUS ACCORDING TO THE HEALTH CRITERIA OF SAFE WORK AUSTRALIA.

UN No. None Allocated **DG Class** None Allocated **Subsidiary Risk(s)** None Allocated

Packing Group None Allocated **Hazchem Code** None Allocated **EPG** None Allocated

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Content
ETHANOL	64-17-5	1-10%
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	1-10%
NON HAZARDOUS INGREDIENTS	Not Available	Remainder

4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poison Information Centre or a doctor, or for at least 15 minutes.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a doctor.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Ingestion For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.

Advice to Doctor Treat symptomatically

5. FIRE FIGHTING MEASURES

GLASS MASTER

Safety Data Sheet



Flammability	Non flammable. May evolve toxic gases if strongly heated.
Fire and Explosion	Non flammable. No fire or explosion hazard exists.
Extinguishing	Non flammable. Prevent contamination of drains or waterways.
Hazchem Code	None Allocated

6. ACCIDENTAL RELEASE MEASURES

Spillage	If spilt (bulk), wear splash-proof goggles and PVC/rubber gloves. Absorb spill with sand or similar and place in sealed containers for disposal. Wash spill site down with water. For small amounts, dilute with water and flush to sewer. Caution: surfaces may be slippery.
-----------------	---

7. STORAGE AND HANDLING

Storage	Store in cool, dry, well ventilated area, removed from acids, combustible materials and foodstuffs. Ensure containers are adequately labeled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills.
Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds

Ingredient	Reference	TWA		STEL	
Ethanol	ASCC(AUS)	1000ppm	1880 mg/m ³	-	-
EGBE	ASCC(AUS)	20.0ppm	96.9mg/m ³	50.0ppm	242mg/m ³

Biological Limits	No biological limit allocated.
--------------------------	--------------------------------

Engineering Controls	Ensure adequate natural ventilation.
-----------------------------	--------------------------------------

PPE	Wear splash-proof goggles and PVC or rubber gloves.
------------	---

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	BLUE THIN LIQUID	Solubility (Water)	SOLUBLE
Odour	ALCOHOL ODOUR	Specific Gravity	0.96 - 1.00
Ph	9.5 – 11.0	Volatiles	NOT AVAILABLE
Vapour Pressure	NOT AVAILABLE	Flammability	NON FLAMMABLE
Vapour Density	NOT AVAILABLE	Flash Point	NOT RELEVANT
Boiling Point	100°C (Approximately)	Upper Explosion Limit	NOT RELEVANT
Melting Point	NOT AVAILABLE	Lower Explosion Limit	NOT RELEVANT
Evaporation Rate	NOT AVAILABLE		

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended conditions of storage.
Conditions to Avoid	Avoid heat, sparks, open flames and other ignition sources.

GLASS MASTER

Safety Data Sheet



Material to Avoid	Compatible with most commonly used materials. Incompatible with acids (eg. Hydrochloric acid), heat and ignition sources.
Decomposition	May evolve toxic gas if heated to decomposition.
Hazardous Reactions	Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard	Irritant - low toxicity. No adverse health effects are anticipated with normal use of this product. Use safe work practices to avoid eye/skin contact and vapour generation/inhalation.
Eye	Irritant. Due to product form and nature of use, an eye hazard is not anticipated. However, direct contact may result in irritation, lacrimation and conjunctivitis.
Inhalation	Irritant. Over exposure may result in mucous membrane irritation of the nose and throat with coughing. High level exposure may result in lower respiratory tract irritation, nausea, dizziness, headache and possible breathing difficulties.
Skin	Irritant. Prolonged or repeated contact may result in mild irritation.
Ingestion	Low toxicity. Ingestion of large quantities may result in nausea, vomiting and gastrointestinal irritation.
Toxicity Data	<p>ETHANOL (64-17-5)</p> <p>LC50 (Inhalation): 20000 ppm/10hours (rat) LCLo (Inhalation): 21900 (guinea pig) LD50 (Ingestion): 3450 mg/kg (mouse) LD50 (Intraperitoneal): 3600 mg/kg (rat) LD50 (Intravenous): 1440 mg/kg (rat) LD50 (Subcutaneous): 8285 mg/kg (mouse) LDLo (Ingestion): 1400 mg/kg (human) LDLo (Intraperitoneal): 3000 mg/kg (dog) LDLo (Intravenous): 1600 mg/kg (dog) LDLo (Skin): 20 g/kg (rabbit) LDLo (Subcutaneous): 19440 (infant) TCLo (Inhalation): 20000 ppm/7 hours (1-22 days pregnant rat – reproductive) TDLo (Ingestion): 50 mg/kg (Human)</p> <p>ETYLENE GLYCOL MONOBUTYL ETHER (111-76-2)</p> <p>LC50(Inhalation): 700ppm(mouse) LD50(ingestion): 300mg/kg(rabbit) LD50(skin): 230mg/kg(guinea pig) TCLo(Inhalation): 100ppm(human) TDLo(Ingestion): 7813uL/kg(woman)</p> <p>LC50(Inhalation): 2000ppm/4hours(rat) LCLo(Inhalation): 5000ppm/5minutes(human) LD50(Ingestion): 350mg/kg(rat) TCLo(Inhalation): 20ppm(human) TDLo(Ingestion): 0.015ml/kg(man) TDLo(skin): 1000mg/kg(human)</p>

12. ECOLOGICAL INFORMATION

Environment	Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.
--------------------	--

GLASS MASTER

Safety Data Sheet



13. DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. If bulk quantities are required to be disposed of, contact the manufacturer for additional information.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOODS BY THE CRITERIA OF THE ADG CODE

Shipping Name	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
UN No.	None allocated	Hazchem Code	None Allocated	EPG	None Allocated
Packing Group	None Allocated				

15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information

ABBREVIATIONS:

ADB - Air-Dry Basis.
BEI - Biological Exposure Indices
CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.
CNS - Central Nervous System.
EINECS - European Inventory of Existing Commercial Substances.
GHS - Globally Harmonized System
IARC - International Agency for Research on Cancer.
M - moles per litre, a unit of concentration.
mg/m³ - Milligrams per cubic meter.
NOS - Not Otherwise Specified.
NTP - National Toxicology Program.
OSHA - Occupational Safety and Health Administration.
pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm - Parts Per Million.
RTECS - Registry of Toxic Effects of Chemical Substances.
TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Clean Plus Chemicals report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Clean Plus Chemicals report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status

GLASS MASTER

Safety Data Sheet



This Safety Data Sheet document has been compiled by Clean Plus Chemicals. Further clarification regarding any aspect of this product should contact Clean Plus Chemicals directly. While Clean Plus Chemicals has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Clean Plus Chemicals accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.